



## PRODUCT CATALOGUE 2020

STEEL-ALUMINIUM  
EXTERIOR DOORS

PRODUKT POLSKI

**MK DOOR**



**3-5/8 in**

FULL 0,62 W/(m<sup>2</sup>K)  
GLASS-PANELLED 0,75-0,85 W/(m<sup>2</sup>K)



**2-5/8 in**


FULL 1,1 W/(m<sup>2</sup>K)  
GLASS-PANELLED 1,2-1,3 W/(m<sup>2</sup>K)

# DOOR FURNITURE

## STEEL-ALUMINIUM DOORS

3-<sup>5</sup>/<sub>8</sub> in


- 3-5/8 thick sash covered with colored PVC veneer (gold oak, walnut, white, anthracite)
- filling: XPS foam
- seals in the sash and frame
- plactic stile reinforced with wooden stile
- anti-theft bolts 6 pcs
- 3D hinges adjustable in three levels
- Winkhaus 5 point hook lock
- aluminum frame reinforced with wood, hard PVC foam poured inside
- frame covered with PVC-colored veneer with a thermal threshold
- two hardware solutions: traditional - Haga handle with insert or modern - straight rectangular handle 150 cm, together with Setto Solo handle and insert
- reflex, mirror or opal glass to choose from




ANTHRACITE




WHITE




GOLD OAK




WALNUT




MIRROR GLASS




OPAL GLASS



REFLEX GLASS



CORNER CONNECTION OF THE ALUMINIUM FRAME



DOOR LEAF THICKNESS 3 5/8 in



TOP AND BOTTOM HOOK LOCKING 4 pcs



DOOR LOCK



REBATED SASH




ANTI-THEFT BOLTS 6 pcs



3D ADJUSTABLE HINGES



ALUMINIUM DOOR FRAME WITH INSULATION



HOOK WITH ADJUSTABLE CLAMP PRESSURE



LOWER AND UPPER HOOKS



ALUMINIUM THRESHOLD WITH PVC CORE



HAGA HANDLE WITH LOCK CORE

OPTIONAL



SETTO SOLO HANDLE + PULL HANDLE + LOCK CORE



HINGE CAPS


## GLAZING TYPES








3-<sup>5/8</sup> in




[ ANTHRACITE



[ WHITE



[ GOLD OAK



[ WALNUT

#### 92MK1

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

#### 92MK2

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

The possibility of using a black frame, door handle, at the same price



35 3/8 in door leaf  
EXTERNAL DIMENSIONS:  
43 3/8 in x 82 5/8 in



INSULATED  
DOOR  
FRAME



3 5/8 in  
FULL 0,62 W/(m²K)  
GLASS-PANELLED 0,75-0,85 W/(m²K)



NO  
MODIFICATION  
OF DOOR HEIGHT




[92MK1




[92MK2


# 3-<sup>5/8</sup> in




[ ANTHRACITE



[ WHITE



[ GOLD OAK



[ WALNUT

## 92MK2 • 92MK3 • 92MK4

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

The possibility of using a black frame, door handle, at the same price



35 3/8 in door leaf  
EXTERNAL DIMENSIONS:  
43 3/8 in x 82 5/8 in



INSULATED  
DOOR  
FRAME



3 5/8 in  
FULL 0,62 W/(m²K)  
GLASS-PANELLED 0,75-0,85 W/(m²K)



NO  
MODIFICATION  
OF DOOR HEIGHT



[ 92MK2



[ 92MK3




[ 92MK3



[ 92MK4



# 3-<sup>5/8</sup> in



92MK5



92MK6



92MK7



92MK8



92MK9



92MK10



92MK11



92MK12



92MK13



92MK14



92MK15



92MK16

## 92MK5 • 92MK6 • 92MK7 • 92MK8 • 92MK9 • 92MK10

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

## 92MK11 • 92MK12 • 92MK13 • 92MK14 • 92MK15 • 92MK16

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

The possibility of using a black frame, door handle, at the same price

35 3/8 in door leaf  
EXTERNAL DIMENSIONS:  
43 3/8 in x 82 5/8 in

INSULATED  
DOOR  
FRAME


3 5/8 in  
FULL 0,62 W/(m²K)  
GLASS-PANELLED 0,75-0,85 W/(m²K)

NO  
MODIFICATION  
OF DOOR HEIGHT

# 3-<sup>5/8</sup> in




[ ANTHRACITE



[ WHITE



[ GOLD OAK



[ WALNUT

92MK17 • 92MK18 • 92MK19 • 92MK20

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

The possibility of using a black frame, door handle, at the same price



35 3/8 in door leaf  
EXTERNAL DIMENSIONS:  
43 3/8 in x 82 5/8 in



INSULATED  
DOOR  
FRAME



3 5/8 in  
FULL 0,62 W/(m²K)  
GLASS-PANELLED 0,75-0,85 W/(m²K)



NO  
MODIFICATION  
OF DOOR HEIGHT



[ 92MK17



[ 92MK18



[ 92MK19




[ 92MK20

# DOOR FURNITURE


## STEEL-ALUMINIUM DOORS

2-5/8 in


- 2-5/8 thick sash covered with colored PVC veneer (gold oak, walnut, white, anthracite)
- filling: XPS foam
- seals in the sash and the frame
- wooden stile
- anti-theft bolts 3 pcs
- 3D hinges adjustable in three levels
- Winkhaus 5 point hook lock
- aluminum frame reinforced with wood, covered with PVC-colored veneer with a thermal threshold
- two hardware solutions: traditional - Haga handle with insert or modern - straight rectangular handle 150 cm, together with Setto Solo handle and insert
- reflex, mirror or opal glass to choose from




ANTHRACITE




WHITE




GOLD OAK




WALNUT



MIRROR GLASS




OPAL GLASS



REFLEX GLASS




CORNER CONNECTION OF THE ALUMINIUM FRAME



DOOR LEAF THICKNESS 2 5/8 in



TOP AND BOTTOM HOOK LOCKING 4 pcs



DOOR LOCK



REBATED SASH



ANTI-THEFT BOLTS 3 pcs



3D ADJUSTABLE HINGES



DOOR FRAME WITH INSULATION



HOOK WITH ADJUSTABLE CLAMP PRESSURE



LOWER AND UPPER HOOKS



ALUMINIUM THRESHOLD WITH PVC CORE



HAGA HANDLE WITH LOCK CORE

OPTIONAL



SETTO SOLO HANDLE + PULL HANDLE + LOCK CORE



HINGE CAPS

## GLAZING TYPES







#### 68MK1

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

#### 68MK2

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

The possibility of using a black frame, door handle, at the same price



35 3/8 in door leaf  
EXTERNAL DIMENSIONS:  
40 1/8 in x 82 5/8 in



INSULATED  
DOOR  
FRAME



2 5/8 in  
FULL 1,1 W/(m²K)  
GLASS-PANELLED 1,2-1,3 W/(m²K)



NO  
MODIFICATION  
OF DOOR HEIGHT



68MK1




68MK2




# 2-<sup>5/8</sup> in




[ ANTHRACITE



[ WHITE



[ GOLD OAK



[ WALNUT

## 68MK2 • 68MK3 • 68MK4

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

The possibility of using a black frame, door handle, at the same price



35 3/8 in door leaf  
EXTERNAL DIMENSIONS:  
40 1/8 in x 82 5/8 in



INSULATED  
DOOR  
FRAME



2 5/8 in  
FULL 1,1 W/(m²K)  
GLASS-PANELLED 1,2-1,3 W/(m²K)



NO  
MODIFICATION  
OF DOOR HEIGHT



[ 68MK2



[ 68MK3



[ 68MK3




[ 68MK4



[ ANTHRACITE

[ WHITE



[ GOLD OAK



[ WALNUT

68MK5 • 68MK6 • 68MK7 • 68MK8 • 68MK9 • 68MK10

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

The possibility of using a black frame, door handle, at the same price



35 3/8 in door leaf  
EXTERNAL DIMENSIONS:  
40 1/8 in x 82 5/8 in



INSULATED  
DOOR  
FRAME



2 5/8 in  
FULL 1,1 W/(m²K)  
GLASS-PANELLED 1,2-1,3 W/(m²K)



NO  
MODIFICATION  
OF DOOR HEIGHT



[ 68MK5



[ 68MK6



[ 68MK7



[ 68MK8



[ 68MK9



[ 68MK10





68MK11 • 68MK12 • 68MK13 • 68MK14 • 68MK15 • 68MK16

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

The possibility of using a black frame, door handle, at the same price



35 3/8 in door leaf  
EXTERNAL DIMENSIONS:  
40 1/8 in x 82 5/8 in



INSULATED  
DOOR  
FRAME



2 5/8 in  
FULL 1,1 W/(m²K)  
GLASS-PANELLED 1,2-1,3 W/(m²K)



NO  
MODIFICATION  
OF DOOR HEIGHT



[68MK11



[68MK12



[68MK13



[68MK14




[68MK15




[68MK16




# 2-<sup>5/8</sup> in




[ ANTHRACITE



[ WHITE



[ GOLD OAK



[ WALNUT

68MK17 • 68MK18 • 68MK19 • 68MK20

price of the door with threshold and fittings [Haga handle, insert]

price of the door with threshold and fittings [Setto Solo handle, 150 cm rectangular handle, insert]

The possibility of using a black frame, door handle, at the same price



35 3/8 in door leaf  
EXTERNAL DIMENSIONS:  
40 1/8 in x 82 5/8 in



INSULATED  
DOOR  
FRAME



2 5/8 in  
FULL 1,1 W/(m²K)  
GLASS-PANELLED 1,2-1,3 W/(m²K)



NO  
MODIFICATION  
OF DOOR HEIGHT



[ 68MK17



[ 68MK18



[ 68MK19



[ 68MK20

# TOP AND SIDE LIGHTS

## STEEL-ALUMINIUM DOORS 2 5/8in 3 5/8in

- top lights height: from 7 7/8in to 27 5/8in
- side lights width: from 7 7/8in to 39 3/8in
- glass: reflex, mirror, opal
- width increase: 1in, 2in, 3 5/8in

TOP LIGHTS			
COMPOSITION ON LIGHT : screws fixing the door frame with overlap the sealing strip sealing the connection with the light, gasket connecting the door frame with the light mounting set for anchors or studs depending on the type of light			
height	width up to 43 3/8in	width up to 59 in	width up to 78 3/4in
7 7/8 in			
11 7/8 in			
15 3/4 in			
19 5/8 in			
23 5/8 in			
27 5/8 in			




SIDE LIGHTS	
width	height up to 82 5/8in
7 7/8 in	
11 7/8 in	
15 3/4 in	
19 5/8 in	
23 5/8 in	
27 5/8 in	
31 1/2 in	
35 3/8 in	
39 3/8 in	

- 1 aluminium profile
- 2 filled with insulating material
- 3 triple glazing package



OPTIONS:






# ADDITIONAL EQUIPMENT



WIDTH INCREASE



THRESHOLD FOAM BOARD  
23<sup>5⁄8</sup>in x 11<sup>7⁄8</sup>in x 43<sup>3⁄8</sup>in



LOCK CORE OR  
CYLINDER-HOLDER (C-CLASS)

WIDTH INCREASE linear meter	
width	
1 in	
2 in	
3 <sup>7⁄8</sup> in	

foam board
electric strike
stainless steel
care product

C-CLASS
3 <sup>5⁄8</sup> in
lock core
cylinder-holder
2 <sup>5⁄8</sup> in
lock core
cylinder-holder



STAINLESS STEEL CARE  
PRODUCT



ELECTRIC STRIKE 3<sup>5⁄8</sup> in



ELECTRIC STRIKE 2<sup>5⁄8</sup> in







This publication does not constitute an offer within the meaning of the law and is for information only. The manufacturer reserves the right to change and improve the products listed in this catalog without prior notice, and reserves the right to errors in printing.

Color may differ from reality. All copyrights reserved.

Total and partial copying and publication of the catalog on websites and other mass media is prohibited without the written consent of the manufacturer.